






















Part Number	Purpose	Cross Section	Terminal/ Shape	Protection Cover	Image
LT2-ECT4099N	Die for standard tubular wire lugs	4, 6 & 10 mm <sup>2</sup> .101", .123", .160"	Standard	LT2-ECPC03	
LT2- ECT4099F	Die for Conduit wire lugs	4, 6 & 10 mm <sup>2</sup> .101", .123", .160"	NFC 20-130	LT2-ECPC03	
LT2-ECT4099E	Die for Elpress tublar cable lugs	4, 6 & 10 mm <sup>2</sup> .101", .123", .160"	Elpress	LT2-ECPC03	
LT2-EC4099P	Die For Compression cable lugs	4, 6 & 10 mm <sup>2</sup> .101", .123", .160"	Compression Cable Lug	LT2-ECPC03	
LT2-ECT0599Q	Die for Solderless tube	0.5, 1.5, 2.5, 4.6, & 10 mm <sup>2</sup> .31", .62", .80", .101", .123", .160"	Compression Wire Lugs	LT2-ECPC03	
LT2-ECI0115	Die for insulated wire lugs	0.1 - 1.5 mm <sup>2</sup> .051 - .062"	Insulated Wire Lugs	LT2-ECPC06	

LT2-ECT0140	Die for non-insulated terminals, tubular wire lugs	0.1, 0.75, 1.5, 2.5, 4 mm <sup>2</sup> .051", .039", .062", .080", .101"	Tubular Cable Lugs	LT2-ECPC04	
LT2-ECI0560	Die for Insulated Wire Lugs	0.5 - 6 mm <sup>2</sup> .031-.123"	Symmetrical	LT2-ECPC06	
LT2-ECI0560AS	Die for Insulated Wire Lugs	0.5 - 6 mm <sup>2</sup> .031 -.123"	Assemetrical	LT2-ECPC06	
LT2-ECE1025L	Die for Wire End Sleeves	10, 16, 25 mm <sup>2</sup> .160", .202", .252"	Trapezoid Wire End Sleeve Max Length 18 mm		
LT2-ECI1425UF	Die for Tyco Insulated Wire Lugs	0.14 - 2.5 mm <sup>2</sup> .018" - .080"	Tyco Ultra Fast Terminals	LT2-ECPC01	
LT2-ECI1525F	Die for Insulated Wire Angle Lugs	1.5, 2.5 mm <sup>2</sup> .062", .080"	Angular	LT2-ECPC01	

LT2-ECD0140	Die for turnerd terminals	0.14 - 1, 1.5, 2.5, 4 mm <sup>2</sup>	Turned Contact	LT2-ECPC06	
LT2-ECD6099	Die for Turned Contacts	6, 10 mm <sup>2</sup>	Turned Contact	LT2-ECPC01	
LT2-ECE0160	Die for insulated wire end sleeves TWIN end sleeves	0.14 - 6 mm <sup>2</sup> .031-.101" .018 -.123" 0.5 - 4 mm <sup>2</sup>	Trapezoid Shape Max Wire End Sleeve: 12 mm	LT2-ECPC05	
LT2-ECE0160SQ	Die for insulated wire end sleeves TWIN end sleeves	0.14 - 6 mm <sup>2</sup> .031-.101" .018 -.123" .05-4 mm <sup>2</sup>	Square Shaped Wire End Sleeves Max Length 18 mm	LT2-ECPC07	
LT2-ECE1025	Die for Wire End Sleeves	10, 16, 25 mm <sup>2</sup> .160", .202", .252"	Trapezoid Wire End Sleeve Max Length 14.5 mm	LT2-ECPC01	
LT2-ECE3550	Die for Wire End Sleeves	35, 50 mm <sup>2</sup> .302 -.361"	Trapezoid Wire End Sleeve Max Length 18 mm	LT2-ECPC01	

LT2-ECE4099TWIN	TWIN Wire End Sleeve	2 x 4, 2 x 6, 2 x 10 mm <sup>2</sup> .073 x .101", .073 x .123", 0.73 x .160"	TWIN Wire End Sleeve Max Length 12 mm	LT2-ECPC01	
LT2-ECR0115	Die for Rolled Contacts	.014 - 0.25, 0.25 - 0.5, 0.75 - 1.5 mm <sup>2</sup> .018-.022", .022-.031", .039-.062"	Rolled Contacts	LT2-ECPC02	
LT2-ECR0560	Die for Rolled Contacts	1.5, 2.5, 6 mm <sup>2</sup> .062", .080", .123"	Rolled Contacts	LT2-ECPC02	
LT2-ECR0508A	Die for Angled Flat Tap Terminals	0.5 - 0.75 mm <sup>2</sup> .031- .062"	Angled Flat Top Terminals	LT2-ECPC01	
LR2-ECR0515A	Die for Angled Flat Tap Terminals	0.5 - 1.5 mm <sup>2</sup> .031 - .039"	Angled Flat Top Terminals	LT2-ECPC01	
LT2-ECR1025A	Die for Angled Flat Tap Terminals	1 - 2.5 mm <sup>2</sup> .051 - .080"	Angled Flat Top Terminals	LT2-ECPC01	