2023 -2024 CATALOG



INDEX


ABOUT ESA FABRICATION	2
SPEED STATION TM	3
SHARK CART™	
SIDE BY SIDE CART	5
CLAMSHELL CART	6
E-CART	· 7
BRANCH WIRE CART	8
HOME RUN CART	· 9
BUNDLE CART	10
CONDUIT TREE	11
FIXTURE CART	12
FIXTURE CART	13
LINEAR FIXTURE CART	
PICKING CART	15
SPOOL BOSS™ NARROW	16
STEEL REELS + REEL CRADLE	17
STEEL REELS + CRADLE MODEL/CAPACITY CHART	· 18
SPOOL BOSS™ WIDE	
TWO WAY A-FRAME 35.5	20
TWO WAY A-FRAME 50	21
FOUR WAY A-FRAME	22
A-FRAME 8000	2 3
A-FRAME 12000	
STEEL REELS	 25
STEEL REELS MODEL/CAPACITY CHART	<u> 26</u>
STEEL REELS MODEL/CAPACITY CHART	27
A-FRAME PULLING TRAILER	28
WILL CALL LOCKERS	29
TEMPORARY POWER CARTS	30

ABOUT ESA FABRICATION

ESA Fabrication was founded in 2005 as a direct response to the challenges within the electrical industry. We set out to change both the approach and accessibility of solutions to contractors of any size. We believed that prefabrication was the key to changing the industry as a whole and introduced a service-oriented shop that specialized in material assembly, temporary power stations, conduit bending and threading, and metal fabrication.

Building on these early successes, we saw additional opportunities to provide the industry with solutions that focused on contractor efficiencies and safety. These product offerings have grown to include material handling carts, wire handling solutions, custom enclosures, and a myriad of other unique solutions. Small enough to provide a simple one-off and large enough to supply national demand, ESA is dedicated to improving our industry and assisting our partners to better serve the contractors that are building America.

What started as local service to southwest contractors has rapidly grown into a national resource that provides cutting edge products and services across the construction industry. We are proud of our history, growth, dedication to quality, and our rapid response to solving the challenges our customers face each and every day.



SPEED STATIONTM



Uniquely designed mobile office and workbench that opens into a 90 degree workstation; features a foldaway print table, two workbench tops, onboard vise and material storage. The Speed Station keeps you mobile with the materials and tools you need as your project progresses.

UPC	Model #	Description
850051778003	SPSC-1001	Speed Station™, Mobile Workstation w/ Vise, Red PC
850051778058	SPSA-1901	Chain Vise Attachment
850051778065	SPSA-1903	Vinyl Whiteboard Replacement
850051778072	SPSA-1902	Attachment for B1000 Bender

FEATURES:


- Workbench height clamshell design with foldaway plan table
- Purpose-built shelving designed to hold tools and materials in a lockable cabinet
- Charging shelf with pass-through power outlet ready for battery tool chargers
- Integrated vise for safe and easy cutting of conduit/strut or holds boxes for making knockouts
- Optional chain vise for IMC/GRC cutting or threading
- Retractable hooks for ladder or conduit storage
- Replaceable vinyl whiteboard surface
- 6" heavy-duty locking casters
- Optional attachment for GB B1000 Portable Cyclone Bender
- · Patent pending

SEE SPEED STATION IN ACTION:



SHARK CART™





The Original SHARK CART™ is perfectly sized to allow easy storage of packaged materials and roll to anywhere on a job site.

UPC	Model #	Description
850051778102	SHKC-3001	Shark Cart™, (3) Shelves, 60"H x 30"W x 60"L, 6" casters, Red PC
	SHKC-3001-XX	Shark Cart, (3) Shelves, 60"H x 30"W x 60"L, 6" casters, Your Color

- Large material storage capacity
- 3 fixed shelves
- Expanded doors and back for easy visibility of material
- 6" heavy duty locking casters for easy rolling and long life
- Full sheet metal sides for logos or co-branding with partner manufacturers


SIDE BY SIDE CART



Purposefully designed XL cart to hold all types of electrical material. Cart includes brackets on top of the cart allowing for 10' material or for additional storage of boxed material.

UPC	Model #	Description
850051778119	SBSC-2001	Side by Side Cart, (3) Shelves, 62"H x 30"W x 72"L, 6" casters, Red PC
	SBSC-2001-XX	Side by Side Cart, (3) Shelves, 62"H x 30"W x 72"L, 6" casters, Your Color

- Extra large material storage capacity
- 3 shelves
- Expanded doors and back for easy visibility of material
- Large storage shelves
- 6" heavy duty casters for easy rolling and long life
- Full sheet metal sides for logos or cobranding with partner manufacturers



CLAMSHELL CART



This cart holds a ton of material!
Large cart with center hinge to
allow easy access to all stored
material. This cart is great for use
inside of a Conex Container since
there are no doors to open and
close. Can be easily rolled through
a job site.

UPC	Model #	Description
850051778126	CLSC-1002	Clam Shell Cart, (4) Shelves, 60"H x 48"W x 48"L, 6" casters, Red PC
850051778157	CLSC-1202	Clam Shell Security Cart (Full Sheet Metal Sides), (4) Shelves, 60"H x 48"W x 48"L, 6" casters, Red PC
	CLSC-1002-XX	Clam Shell Cart, (4) Shelves, 60"H x 48"W x 48"L, 6" casters, Your Color

- Extra large material storage capacity
- Opens 180 degrees
- Designed so that it will not fit though a doorway when the cart is locked
- Fits through standard door fully opened
- Four 24" stationary shelves in each side
- Eight 6" heavy duty casters
- Full sheet metal or expanded metal sides



E-CART




This smaller cart is perfect for storing material in congested work areas.

The E-Cart has all the features of the Original Shark Cart™ with a little bit smaller footprint. Easy to move throughout a building.

UPC	Model #	Description
850051778133	ECOC-1001	E-Cart (3) Shelves, 60"H x 24"W x 48"L, 6" casters, Red PC
	ECOC-1001-XX	E-Cart (3) Shelves, 60"H x 24"W x 48"L, 6" casters, Your Color

- Great for any commercial project
- Medium material storage capacity
- 3 stationary shelves
- Expanded doors and back for easy visibility of material
- 6" heavy duty casters for easy rolling and long life
- Full sheet metal sides for branding or co-branding with partner manufacturers




BRANCH WIRE CART



The absolute BEST way to handle circuit wire on a project. Securely store, move and pull from the Branch Wire Cart. Stop pulling wire the old way, step up to the secure, efficient way to pull home runs or branch circuits.

UPC	Model #	Description
850051778010	BRWC-2101	Branch Wire Cart, (4) Doors, 55"H x 32"W x 50"L, 6" casters, Red PC
	BRWC-2101-XX	Branch Wire Cart, (4) Doors, 55"H x 32"W x 50"L, 6" casters, Your Color

- Holds 16 2500 ft. spools of cable (doors on both sides)
- Easily load wire spools onto the fixed axles
- Plastic grommets prevent wire damage
- Lockable to keep wire secure while on the job
- Expanded doors for visibility of material
- 6" heavy duty casters for easy rolling and long life




HOME RUN CART



Need a wire cart that does it all?
The Home Run Cart handles up to
24 spools of either circuit wire or
data cable. This versatile cart allows
you to have all the wire you need
where you need it for pulling home
runs, data runs, and branch circuits.

Model #	Description
WDOC-1002	Open Wire Cart - 24 Spools, 74.5"x80"x30" , 6" casters, Red PC
WDOC-1002-XX	Open Wire Cart - 24 Spools, 74.5"x80"x30", 6" casters, Your Color

- Holds 24 spools up to 18" diameter
- Easily load wire spools onto the adjustable axles
- Adjustable and removable axles to accommodate larger spools
- Retainers to keep spools on the axles
- Pulling eyes to keep wire organized
- Reduces set up and pull time when compared to traditional carts
- Fork tubes for safer handling
- 6" heavy duty casters for easy rolling and long life




BUNDLE CART



The Bundle Cart exceeds where others fall short. This unique design makes loading easy and safe while handling heavy loads up to 4,000 lbs.

UPC	Model #	Description
850051778027	BDLC-1002	Bundle Conduit Cart, Fork Pockets, 6" casters, 4,000# capacity, Red PC
	BDLC-1002-XX	Bundle Conduit Cart, Fork Pockets, 6" casters, 4,000# capacity, Your Color

- Allows you to move bundles of 10 ft. materials
- Heavy duty 4,000 lbs. capacity
- 6" heavy duty casters for easy rolling and long life
- Fork pockets for safer loading on/off truck




CONDUIT TREE



Best built Conduit Tree with capacity up to 4,000 lbs.
Removable tree stands to take up less space when stored. Don't settle for cheap alternatives. Often imitated, but never duplicated.

UPC	Model #	Description
850051778034	COTC-1001	Tree Conduit Cart, Fork Pockets, 6" casters, 4,000# capacity, Red PC
	COTC-1001-XX	Tree Conduit Cart, Fork Pockets, 6" casters, 4,000# capacity, Your Color

- Heavy duty 4,000 lbs. capacity
- Tree stands remove to stack flat when not in use
- Fits 10 ft. materials
- Fork pockets for safer loading on/off truck
- 6" heavy duty casters for easy rolling and long life, 2 fixed and 2 non-fixed



ELEVATOR CART



Going up? Smart design allows you to move 10 ft. sticks of conduit or strut easily in/out of an elevator.

UPC	Model #	Description
850051778041	COEC-1101	Elevator Conduit Cart, Tilt Tray, 6" casters, Red PC
	COEC-1101-XX	Elevator Conduit Cart, Tilt Tray, 6" casters, Your Color

- Heavy duty 2,500 lbs. capacity
- Fits 10 ft. materials
- Tilts materials to fit into a service elevator
- 6" heavy duty casters for easy rolling and long life
- Great for highrise work


FIXTURE CART



Got Fixtures? Tired of damaged or scuffed fixtures showing up to the job? This cart is the solution. Easily allows you to move fixtures on to a job with ease and without damage.

UPC	Model #	Description
850051778089	FIXC-1001	Fixture Cart, 12 slots, 4' Edge Support, 4" casters, Red PC
850051778140	FIXC-1003	Fixture Cart, 12 slots, 4' Edge Support, 4" casters, Hinged Lock w/ Backstop, Red PC
850051778164	FIXC-9801	Fixture Cart Tray, Galvanized
	FIXC-1001-XX	Fixture Cart, 12 slots, 4' Edge Support, 4" casters, Your Color
	FIXC-1003-XX	Fixture Cart, 12 slots, 4' Edge Support, 4" casters, Hinged Lock w/ Backstop, Your Color
	FIXC-9801-XX	Fixture Cart Tray, Galvanized

- Holds 12-2'x4' or 24-2'x2' fixtures
- High grade felt on each runner to protect fixtures from getting scratched
- 4" heavy duty casters for easy rolling and long life
- Remove the cardboard and ship fixtures ready to install
- Option with hinged lock and backstop for ease of securing fixtures



LINEAR FIXTURE CART




Linear Fixture Cart is a very versatile material handling cart. This cart expands and contracts to fit a multitude of different lengths, sizes, and shapes.

Can be used to move Busduct, Pipe, Strut, and other long materials

UPC	Model #	Description
850051778171	LFXC-1001	Linear Fixture Cart, (8) Upright Adj. Arms, (20) 3/8" Cross Bars, 60"x32" Base, 6" Casters, Red PC
	LFXC-1001-XX	Linear Fixture Cart, (8) Upright Adj. Arms, (20) 3/8" Cross Bars, 60"x32" Base, 6" Casters, Your Color

- Heavy duty base frame for projects beyond just fixtures
- Arms slide out horizontally to accommodate longer fixtures
- Arms extend vertically for multiple layers of fixtures or material
- 20 cross rods allow for multiple layers to prevent damage during transport or on the job site
- Multipurpose cart can be used for bus duct and pipe
- 60" x 32" base with adjustable upright arms
- 8 upright adj. arms (30" sleeve extends to 60")
- 6" heavy duty casters



PICKING CART



ESA Picking Carts are ideal for picking orders, moving merchandise, and simple ergonomic material handling.

The cart's lipped shelving helps contain merchandise while the open style frame permits visibility of contents from all sides. Whether unloading packages, counting inventory, stocking shelves, gathering parts, or picking merchandise for order filling, the Picking Cart is designed to help get the job done efficiently.


Model #

Description

FOPC-1003-XX

Picking Cart, 6" Casters, 72H x 60W x 36D

- Heavy duty steel construction for added reliability
- 3 shelves, plus base platform for product placement are standard
- Two rigid and two swivel casters
- Side and rear edges on shelves contain contents during transport
- Durable powder coat finish resists both corrosion and scratches
- 17.875" height between shelves
- Custom-built models also available to meet unique specifications



SPOOL BOSSTM NARROW



Reel Easy, Reel Simple, Reel Safe

Spool Boss™ Narrow is a wire reel payoff system designed to handle heavy cable reels on job sites. The Spool Boss is easily maneuvered through standard doorways or through narrow hallways with its zero-turn radius mobility. It allows one individual to safely load/unload and move reels with built-in hydraulics and an integrated braking system. Spool Boss can move reels into position over concrete with ease, making it the safest and most versatile wire handling system on the market.

Model #

Description

SBU10-010

Spool Boss™-Narrow Reel Mover, 32" outside width, 6500# capacity

FEATURES:

- Handle up to 6,500 lbs. heavy wire payloads with no worries
- Save your time with an integrated charging feature
- Self-brakes itself as soon as you let go of the handle
- Lifts the wire reels with incorporated hydraulics
- Fork tubes designed to improve stability & safety while lifting
- Zero turn radius
- Fits through a 3' door
- Patented

SEE SPOOL BOSS ON THE JOB:





STEEL REELS + REEL CRADLE

FOR SPOOL BOSS™ NARROW



The Spool Boss™ Reels and Reel
Cradle are designed to work with
the Spool Boss™ Narrow Reel
Mover. These rugged reels are built
to handle the toughest job site
environments providing years of
service. The Reel Cradle is
specifically designed to make
transporting the Narrow Reels safely
and securely to/from the job site.

Model #

Description

SBC10-XX

Reel Cradle for 60" x 20-3/4" Narrow Spool Boss Reels

FEATURES:

- Solid disc flange reels handle up to 6,500 lbs. wire payloads
- 10 spoke flange reels handle up to 3,000 lbs. wire payloads
- Reel Cradle makes transporting safe and easy
- Narrow Reel Mover easily straddles and lifts the reel off the Reel Cradle

SEE NEXT PAGE FOR REEL MODELS + CAPACITY

Model	R60F-1C2034	R60F-3C2034	R60F-4C2034	R60K-1C2034
Diameter	60"	60"	60"	60"
Compartments	1	3	4	1
Outside Width	20-3/4"	20-3/4"	20-3/4"	20-3/4"
Style	10-Spoke	10-Spoke	10-Spoke	10-Spoke

Reel Capacity Per Compartment*

Wire Size	Feet	Feet	Feet	Feet
750 MCM	2,088	663	480	2,098
600 MCM	2,676	850	615	2,688
500 MCM	3,238	1,028	744	3,253
400 MCM	4,216	1,339	969	4,235
350 MCM	4,376	1,390	1,005	4,396
300 MCM	5,343	1,697	1,227	5,367
250 MCM	6,202	1,969	1,425	6,230
4/0	7,286	2,314	2,314	7,318
3/0	8,804	2,796	2,796	8,844
2/0	10,600	3,366	3,366	10,648
1/0	12,678	4,026	4,026	12,735
1 GA	14,598	4,636	4,636	14,664
2 GA	17,504	5,559	5,559	17,582
3 GA	22,862	7,260	7,260	22,965
4 GA	27,011	8,578	8,578	27,132
6 GA	37,303	11,846	11,846	37,471
8 GA	50,283	15,968	15,968	50,510
10 GA	93,574	29,716	29,716	93,996
12 GA	126,146	40,060	40,060	126,715
14 GA	163,193	51,825	51,825	163,929

^{*}Reel capacity is based on 75% of a perfect wind

SPOOL BOSSTM WIDE



Reel Easy, Reel Simple, Reel Safe

Spool Boss™ Wide is a wire reel payoff system that can handle heavy cable reels on job sites or in the distributor wire room. It allows one individual to safely load/unload and move reels with built-in hydraulics and an integrated braking system. Spool Boss can move reels into position over concrete with ease, making it the safest and most versatile wire handling system on the market

Model #

Description

SBU20-010

Spool Boss™ – Wide Reel Mover, 50" inside width, 6500# capacity

FEATURES:

- 6,500 lbs. capacity
- Handles up to 60" reel
- Save your time with an integrated charging feature
- Self-brakes itself as soon as you let go of the handle
- Lifts the wire reels with incorporated hydraulics
- 50" throat makes it easy to lift reels off pallets
- Fork tubes designed to improve stability & safety while lifting
- Zero turn radius
- Patented



SEE OUR WIRE ROOM
TIME STUDY:

TWO WAY A-FRAME 35.5



Small A-Frame with a 35.5" inside width, is constructed from heavy-duty steel with a powder coat finish to give it added durability from job to job. Our high-density low-friction polymer axle saddles last longer at a maximum load while reducing friction on the axle. This unit accommodates our 40" compartment reels with capacity up to 5000 lbs.


Model #

Description

ARSU-1101-XX

A-Frame Reel Stand 2-Way 5000# Payload, 40" max diameter reel, 35.5" ID, Your Color

- 5,000 lbs. capacity
- Easy wire payoff
- Fully welded construction and powder coated for maximum durability
- 2-way forklift pockets
- Works with 40" reels
- Comes with 2" solid steel axle



TWO WAY A-FRAME 50



Large a-frame with a 50" inside width, is constructed from heavy-duty steel with a powder coat finish to give it added durability from job to job. Our high-density low-friction polymer axle saddles last longer at a maximum load while reducing friction on the axle. This unit accommodates our 48" compartment reels with capacity up to 5000 lbs.


Model #

Description

ARSU-2101-XX

A-Frame Reel Stand 2-Way 5000# Payload, 48" max diameter reel, 50" ID, Your Color

- 5,000 lbs. capacity
- Easy wire payoff
- Fully welded construction and powder coated for maximum durability
- 2-way forklift pockets
- Handles 48" reels
- Comes with 2" solid steel axle.



FOUR WAY A-FRAME



Our Four Way A-Frame is easily moved from any direction with either a forklift or pallet jack. The Flip-Down caster design means casters are always attached. Our high-density low-friction polymer axle saddles last longer at a maximum load while reducing friction on the axle. This unit accommodates our 48" compartment reels with capacity up to 5000 lbs.


Model #

Description

ARSU-3302-XX

A-Frame Reel Stand 4-Way, Drop-Down 6" Casters 5000# Payload, 48" max diameter reel, 50" ID

- Easy payoff of wire
- Fully welded construction and powder coated for maximum durability
- Designed to be rolled or stand alone
- Forklift pockets on all four sides for easy lifting or use with a pallet jack
- Flip down 6" heavy duty casters are always attached
- Handles 48" diameter reels, up to 50" wide
- Comes with 2" solid steel axle



A-FRAME 8000



Heavy duty 8,000 lbs. capacity A-Frame that is built to handle cable reels with diameters up to 78". Constructed from heavy-duty steel with a powder coat finish to give it added durability from job to job. Our high-density low-friction polymer axle saddles last longer at a maximum load while reducing friction on the axle.


Model #

Description

ARSU-4101-XX

A-Frame Reel Stand 8000# Payload, 78" Max diameter reel, Your Color

- Handles up to 78" diameter reel
- 8,000 lbs. capacity
- Easy load/unload
- Easy payoff of wire with minimum overspin
- Fully welded construction and powder coated for maximum durability
- 2-way forklift tubes
- Comes with 3" steel axle



A-FRAME 12000



Heavy duty 12,000 lbs. capacity A-Frame built to handle large cable reels up to 108" diameter. Constructed from heavy-duty steel with a powder coat finish to give it added durability from job to job. Our high-density low-friction polymer axle saddles last longer at a maximum load while reducing friction on the axle.


Model #

Description

ARSU-5002-XX

A-Frame Reel Stand 12,000# Payload, 108" max diameter reel, Your Color.

- Handles up to 108" diameter reel
- 12,000 lbs. capacity
- Easy load/unload
- Easy payoff of wire with minimum overspin
- Fully welded construction and powder coated for maximum durability
- 2-way forklift pockets
- Comes with 3" steel axle



STEEL REELS

ESA Reels are constructed from heavy-duty steel and powder coat finish with unique barrel and hub design for added durability from job to job. All compartments have predrilled holes to accommodate a wide variety of wire gauges. Standard sizes are available in 15 different configurations with one to four compartments. Multiple sizes and styles available in 8 or 10 spoke configurations.



SINGLE COMPARTMENT, 8 + 10 SPOKE



3 COMPARTMENT, 8 + 10 SPOKE



4 COMPARTMENT, 8 + 10 SPOKE

FEATURES:

- Heavy duty steel construction for added reliability
- 40", 44.75", and 48" diameter reel sizes
- 8 and 10 spoke styles to meet your capacity needs
- 1, 3, and 4 compartment reels
- Compartments have predrilled holes to accommodate a variety of wire gauges
- Durable powder coat finish
- Reinforced hub plates for maximum capacity

SEE NEXT TWO PAGES FOR MODELS + CAPACITY

Model	R40A- 1C06	R40A- 4C26	R4434A- 1C0512	R4434A- 1C858	R48A- 1C10	R48A- 1C25	R48A- 3C30	R48A- 4C40
Diameter	40"	40"	44-3/4"	44-3/4"	48"	48"	48"	48"
Compartments	1	4	1	1	1	1	3	4
Outside Width	6"	26"	5-1/2"	8-5/8"	10"	25"	30"	40"
Style	8-Spoke	8-Spoke	8-Spoke	8-Spoke	8-Spoke	8-Spoke	8-Spoke	8-Spoke

Reel Capacity Per Compartment*

Wire Size	Feet	Feet	Feet	Feet	Feet	Feet	Feet	Feet
750 MCM	173	252	201	381	543	1,560	619	632
600 MCM	222	323	258	488	695	1,999	793	809
500 MCM	269	390	312	590	841	2,419	960	979
400 MCM	350	508	406	768	1,096	3,150	1,250	1,275
350 MCM	363	527	421	797	1,137	3,269	1,297	1,324
300 MCM	443	644	514	974	1,388	3,991	1,583	1,616
250 MCM	514	748	597	1,130	1,611	4,633	1,838	1,876
4/0	604	878	701	1,328	1,893	5,442	2,159	2,204
3/0	730	1,061	848	1,604	2,288	6,577	2,609	2,663
2/0	879	1,278	1,020	1,932	2,754	7,918	3,142	3,206
1/0	1,052	1,528	1,220	2,310	3,294	9,471	3,757	3,835
1 GA	1,211	1,760	1,405	2,660	3,793	10,905	4,326	4,415
2 GA	1,452	2,110	1,685	3,189	4,548	13,075	5,187	5,294
3 GA	1,896	2,756	2,201	4,166	5,940	17,078	6,775	6,915
4 GA	2,241	3,256	2,600	4,922	7,018	20,177	8,005	8,170
6 GA	3,094	4,497	3,591	6,797	9,692	27,866	11,055	11,283
8 GA	4,171	6,061	4,841	9,162	13,065	37,562	14,902	15,208
10 GA	7,762	11,279	9,008	17,051	24,313	69,900	27,732	28,302
12 GA	10,464	15,206	12,144	22,986	32,776	94,232	37,385	38,154
14 GA	13,537	19,672	15,710	29,737	42,402	121,906	48,365	49,359

^{*}Reel capacity is based on 75% of a perfect wind

Model	R40F- 1C06	R40F- 3C26	R40F- 4C26	R48F- 1C10	R48F- 1C25	R48F- 3C30	R48F- 4C40
Diameter	40"	40"	40"	48"	48"	48"	48"
Compartments	1	3	4	1	1	3	4
Outside Width	6"	26"	26"	10"	25"	30"	40"
Style	10-Spoke						

Reel Capacity Per Compartment*

Wire Size	Feet	Feet	Feet	Feet	Feet	Feet	Feet
750 MCM	162	330	241	526	1,543	610	619
600 MCM	208	423	309	674	1,977	782	793
500 MCM	252	512	374	815	2,393	946	960
400 MCM	328	667	486	1,061	3,115	1,232	1,250
350 MCM	340	692	505	1,101	3,233	1,279	1,297
300 MCM	416	845	616	1,345	3,948	1,562	1,583
250 MCM	482	981	715	1,561	4,582	1,813	1,838
4/0	567	1,152	840	1,834	5,383	2,130	2,159
3/0	685	1,392	1,016	2,216	6,505	2,574	2,609
2/0	824	1,676	1,223	2,668	7,832	3,099	3,142
1/0	986	2,005	1,462	3,191	9,368	3,706	3,757
1 GA	1,135	2,308	1,684	3,674	10,786	4,267	4,326
2 GA	1,361	2,768	2,019	4,406	12,933	5,116	5,187
3 GA	1,778	3,615	2,637	5,754	16,892	6,683	6,775
4 GA	2,101	4,271	3,116	6,799	19,958	7,895	8,005
6 GA	2,901	5,899	4,303	9,389	27,563	10,904	11,055
8 GA	3,910	7,951	5,800	12,657	37,153	14,698	14,902
10 GA	7,277	14,797	10,794	23,553	69,140	27,352	27,732
12 GA	9,810	19,947	14,552	31,752	93,207	36,873	37,385
14 GA	12,691	25,806	18,825	41,077	120,581	47,702	48,365

^{*}Reel capacity is based on 75% of a perfect wind

A-FRAME PULLING TRAILER



Custom wire trailers available up to 60,000 lbs. capacity. Take the wire where you need it and pull from the trailer. Innovative turntable design locks into position at the angle you need. Built for years of use on the toughest job environments.

Model #	Description
WPAT-1201-XX	Wire Pull Trailer 10,000# Capacity with (2) turntables

- Take the wire where you need it and payoff from the trailer
- Heavy duty dual A-Frame Trailer with tandem axles to handle loads up to 10,000 lbs.
- Innovative turntable design locks into position at the angle you need
- Durable and reliable
- Quick load/unload of A-Frames
- Custom wire trailers available up to 60,000 lbs. capacity

WILL-CALL LOCKERS



- Heavy duty lockers, built extremely tough & weatherresistant to handle the roughest conditions
- Designed for large package capacity with maximum security for outdoor after hours will call
- Base for securing to anchor bolts
- Sloped top to shed rain or snow
- Industrial powder coat with multiple color choices
- Horizontal Lockers accommodate 10" conduit or strut in either lower locker
- Mechanical programmable or wireless programmable lock system options

Outside Horizontal Storage Locker

Model #	Description
OHSL-1201-XX	Outside Horizontal Storage Locker, (3) Front Bins, (2) Side Conduit Bins Accessible from one side, Your Color, with Mechanical programmable lock system
OHSL-1205-XX	Outside Horizontal Storage Locker, (3) Front Bins, (2) Side Conduit Bins Accessible from one side, Your Color, with Wireless programmable lock system
OHSL-2201-XX	Outside Horizontal Storage Locker, (4) Front Bins, (2) Side Conduit Bins Accessible from Both Sides, your color, with Mechanical programmable lock system
OHSL-2205-XX	Outside Horizontal Storage Locker, (4) Front Bins, (2) Side Conduit Bins Accessible from Both Sides, your color, with Wireless programmable lock system

TEMPORARY POWER CARTS



ESA is your temporary power solutions provider. We engineer and build custom temporary power stations to meet your jobsite needs. Purchase the cart or the entire setup.

- Multiple cart types to choose from or customize your own
- Type 1 or Type 3R power setups available
- Fully customized to meet job site needs from single panel to power stations with complete panels & transformer
- Steel structures with industrial powder coat finish with multiple color choices
- Steel identification plates available with either water jet or vinyl logos
- Forklift friendly bases and caster options
- Contact your local representative for more details and options



1037 E. Tonto Street, Phoenix, AZ 85034 602-550-7173 sales@esafab.com esafab.com